



THREAD BUTTON BIT-螺纹球齿钎头





柱齿形钎头
Button bit

















圆齿 Spherical buttons									
37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	1431-37R28-27/59-45-41	
38	1 1/2	2×8	4×9	30°	1×6	2×4	0.6	1431-38R28-28/49-45-41	
38	1 1/2	2×7	5×9	30°	1×5	1×6	0.6	1431-38R28-27/59-45-41	
41	1 5/8	2×8	5×9	35°	1×5	1×6	0.7	1431-41R28-28/59-45-41	
43	1 11/16	2×9	5×9	35°	1×6	2×4	0.8	1431-43R28-29/59-45-41	
45	1 3/4	2×9	5×10	30°	1×6	2×4	0.9	1431-45R28-29/510-45-41	
45	1 3/4	3×8	6×9	35°	1×5	3×4.5	0.9	1431-45R28-38/69-45-41	


柱齿形钎头 Button bit		圆齿 Spherical buttons									
	64	2 1/2	3×11	6×12	30°	3×7	-	1.6	1431-64T38-311/612-45-31		
	64	2 1/2	4×10	8×10	30°	3×7	-	1.6	1431-64T38-410/810-45-31		
	64	2 1/2	3×10, 1×10	6×11	35°	3×8	-	1.7	1431-64T38-410/611-45-31		
	64	2 1/2	4×10, 1×8	8×10	30°	4×7	-	1.7	1431-64T38-410/810-45-31		
	70	2 3/4	4×11	8×11	40°	2×11	-	2.0	1431-70T38-411/811-45-31		
	70	2 3/4	6×10	8×10	35°	2×11	-	2.0	1431-70T38-610/810-45-31		
	70	2 3/4	3×10, 1×10	6×12	35°	3×8	-	2.0	1431-70T38-410/612-45-31		
	76	3	4×11	8×12	35°	2×11	-	2.5	1431-76T38-411/812-45-31		
	76	3	4×11	8×11	40°	2×11	-	2.5	1431-76T38-411/811-45-31		
	76	3	5×11	8×12	35°	2	1	2.4	1431-76T38-511/812-45-31		
	76	3	6×10	8×11	40°	2×11	-	2.4	1431-76T38-610/811-45-31		
	76	3	6×10	8×10	35°	2×11	-	2.4	1431-76T38-610/810-45-31		
	76	3	3×11, 1×11	6×13	35°	3	1	2.6	1431-76T38-411/613-45-31		
	76	3	4×11, 1×11	8×12	35°	4	1	2.7	1431-76T38-511/812-45-31		
	76	3	4×11, 1×11	8×11	35°	4	1	2.7	1431-76T38-511/811-45-31		
	76	3	4×10, 2×10	8×11	30°	4×7	-	2.7	1431-76T38-611/811-45-31		
	76	3	4×10, 2×10	8×11	35°	4×8	-	2.7	1431-76T38-610/811-45-31		
	89	3 1/2	4×13	8×13	40°	2×12	-	3.3	1431-89T38-413/813-45-31		
	89	3 1/2	5×13	8×13	40°	2×12	-	3.3	1431-89T38-513/813-45-31		
	89	3 1/2	6×11	8×12	35°	2×12	-	3.3	1431-89T38-611/812-45-31		
	89	3 1/2	6×12	8×12	35°	2×12	-	3.3	1431-89T38-612/812-45-31		
	89	3 1/2	6×12	8×13	35°	2×12	-	3.3	1431-89T38-612/813-45-31		
	89	3 1/2	6×10	9×11	35°	3×10	-	3.3	1431-89T38-610/911-45-31		
	89	3 1/2	3×12, 2×10	6×13	35°	3	1	3.3	1431-89T38-312/613-45-31		
	89	3 1/2	3×11, 2×11	6×13	35°	3	1	3.3	1431-89T38-511/613-45-31		
	89	3 1/2	4×11, 1×11	8×12	35°	4×8	-	3.3	1431-89T38-511/812-45-31		
	89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	3.3	1431-89T38-412/812-45-31		
	102	4	6×12	8×14	35°	2×13	-	4.7	1431-102T38-612/814-45-31		
	102	4	4×13, 1×13	8×14	35°	4×9	-	4.6	1431-102T38-513/814-45-31		
	102	4	4×12, 4×10	8×12	35°	4×9	-	4.6	1431-102T38-412/812-45-31		
抛物线齿 Ballistic buttons											
	64	2 1/2	3×11	6×12	30°	3×7	-	1.6	1431-64T38-311/612-45-51		
	64	2 1/2	4×10	8×10	30°	3×7	-	1.6	1431-64T38-410/810-45-51		
	64	2 1/2	3×10, 1×10	6×11	35°	3×8	-	1.7	1432-64T38-410/611-45-51		
	64	2 1/2	3×10, 1×8	6×12	25°	3×8	-	1.7	1433-64T38-31018/612-45-51		
	64	2 1/2	4×10, 1×8	8×10	30°	4×7	-	1.7	1433-64T38-41018/810-45-51		

柱齿形钎头 Button bit 	70	2 3/4	4×11	8×11	40°	2×11	-	2.0	1431-70T38-411/811-45-51
	70	2 3/4	3×11, 1×9	6×11	35°	3×8	-	2.0	1432-70T38-31119/611-45
	70	2 3/4	3×10, 1×10	6×11	35°	3×8	-	2.0	1433-70T38-410/611-45-51
	70	2 3/4	3×10, 1×8	6×12	25°	3×8	-	2.0	1433-70T38-31018/612-45
	76	3	4×11	8×12	35°	2×11	-	2.5	1431-76T38-411/812-45-51
	76	3	4×11	8×11	40°	2×11	-	2.5	1431-76T38-411/811-45-51
	76	3	5×11	8×12	35°	2	1	2.4	1431-76T38-511/812-45-51
	76	3	6×10	8×11	40°	2×11	-	2.4	1431-76T38-610/811-45-51
	76	3	6×10	8×10	35°	2×11	-	2.4	1431-76T38-610/810-45-51
	76	3	3×11, 1×11	6×13	35°	3	1	2.6	1432-76T38-411/613-45-51
	76	3	4×11, 1×11	8×12	35°	4	1	2.7	1433-76T38-511/812-45-51
	76	3	4×11, 1×11	8×11	35°	4	1	2.7	1433-76T38-511/811-45-51
	76	3	4×10, 2×10	8×11	30°	4×7	-	2.7	1433-76T38-610/811-45-51
	76	3	4×10, 2×10	8×11	35°	4×8	-	2.7	1433-76T38-610/811-45-2
	89	3 1/2	5×13	8×13	40°	2×12	-	3.3	1431-89T38-513/813-45-51
	89	3 1/2	6×12	8×13	35°	2×12	1	3.3	1431-89T38-612/813-45-51
	89	3 1/2	6×12	8×12	35°	2×12	-	3.3	1431-89T38-612/812-45-51
	89	3 1/2	6×10	9×11	35°	3×10	-	3.3	1431-89T38-610/911-45-51
	89	3 1/2	3×11, 2×11	6×13	35°	3	1	3.3	1432-89T38-511/613-45-51
	89	3 1/2	4×11, 1×11	8×12	35°	4×8	-	3.3	1433-89T38-411/811-45-51
	89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	3.3	1433-89T38-412210/812-45
	102	4	6×12	8×14	35°	2×13	-	4.7	1431-102T38-612/814-45
	102	4	4×13, 1×13	8×14	35°	4×9	-	4.6	1433-102T38-513/814-45
	102	4	4×12, 4×10	8×12	35°	4×9	-	4.6	1431-102T38-412410/812

柱齿形钎头 Button bit   	圆齿 Spherical buttons								
	33	1 19/64	2×7	5×7	35°	1×5	1×6	0.4	1431-33R25-27/57--45-41
	35	1 3/8	2×7	5×8	35°	1×5	1×6	0.4	1431-35R25-27/58--45-41
	37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	1431-37R25-27/59--45-41
	38	1 1/2	2×8	4×9	30°	1×6	2×4	0.5	1431-38R25-28/49--45-41
	38	1 1/2	2×7	5×9	30°	1×5	1×6	0.5	1431-38R25-27/59--45-41
	41	1 5/8	2×9	4×9	35°	1×6	2×4	0.6	1431-41R25-29/49--45-41
	41	1 5/8	2×8	5×9	35°	1×5	1×6	0.6	1431-41R25-28/59--45-41
	45	1 3/4	2×9	4×11	35°	1×6	2×4	0.6	1431-45R25-29/411--45-41
	45	1 3/4	2×8	5×10	30°	1×6	2×4	0.6	1431-45R25-28/510--45-41
	抛物线齿 Ballistic buttons								
	33	1 19/64	2×7	5×7	35°	1×5	1×6	0.4	1431-33R25-27/57-45-51
	35	1 3/8	2×7	5×9	25°	1×5	1×6	0.4	1431-35R25-27/59-45-51
	38	1 1/2	2×7	5×9	40°	1×5	1×6	0.5	1431-38R25-27/59-45-51
	41	1 5/8	2×8	5×9	40°	1×5	1×6	0.6	1431-41R25-28/59-45-51
	45	1 3/4	2×9	5×10	35°	1×6	2×4	0.6	1431-45R25-29/510-45-51

柱齿形钎头 Button bit		圆齿 Spherical buttons								
	70	2 3/4	4×11	8×11	40°	2×12	-	2.3	1431-70T45-411/811-45-31	
	70	2 3/4	3×11, 1×9	6×11	35°	3×9	-	2.2	1432-70T45-31119/611-45-31	
	70	2 3/4	3×11, 1×9	6×12	35°	3×9	-	2.2	1433-70T45-31119/612-45-31	
	70	2 3/4	4×10, 1×9	8×11	35°	4×8	-	2.2	1433-70T45-41019/811-45-31	
	76	3	4×11	8×11	40°	2×12	-	2.6	1431-76T45-411/811-45-31	
	76	3	4×11	8×12	30°	2×12	-	2.6	1431-76T45-411/812-45-31	
	76	3	4×12	8×12	30°	2×12	-	2.6	1431-76T45-412/812-45-31	
	76	3	5×11	8×12	35°	2×12	1	2.6	1431-76T45-511/812-45-31	
	76	3	5×11	8×13	35°	2×12	1	2.6	1431-76T45-511/813-45-31	
	76	3	6×10	8×11	35°	2×12	-	2.6	1431-76T45-610/811-45-31	
	76	3	3×11, 1×11	6×13	35°	3×9	1	2.4	1432-76T45-411/613-45-31	
	76	3	4×11, 1×11	8×11	35°	4×8	-	2.6	1433-76T45-511/811-45-31	
	76	3	4×11, 1×11	8×13	35°	4×8	-	2.6	1433-76T45-511/813-45-31	
	89	3 1/2	4×13	8×13	40°	2×13	-	4.6	1431-89T45-413/813-45-31	
	89	3 1/2	5×13	8×13	35°	2×13	-	4.6	1431-89T45-513/813-45-31	
	89	3 1/2	6×12	8×12	35°	2×13	-	4.6	1431-89T45-612/812-45-31	
	89	3 1/2	6×13	8×13	35°	2×13	-	4.6	1431-89T45-613/813-45-31	
	89	3 1/2	6×12	8×14	35°	2×13	2	4.6	1431-89T45-612/814-45-31	
	89	3 1/2	6×10	9×11	35°	3×10	-	4.6	1431-89T45-610/911-45-31	
	89	3 1/2	3×11, 2×11	6×13	35°	3×10	1	4.1	1432-89T45-511/613-45-31	
	89	3 1/2	3×13, 2×9	6×13	35°	3×10	-	4.1	1432-89T45-31329/613-45-31	
	89	3 1/2	3×12, 2×10	6×14	35°	3×10	-	4.1	1433-89T45-312210/811-45-31	
	89	3 1/2	4×11, 1×11	8×13	35°	4×8	-	4.6	1433-89T45-511/813-45-31	
	89	3 1/2	4×11, 2×11	8×12	35°	4×8	-	4.6	1433-89T45-611/812-45-31	
	89	3 1/2	4×12, 2×10	8×12	35°	4×8	-	4.6	1433-89T45-412210/812-45-31	
	102	4	5×14	8×14	40°	2×14	-	5.0	1431-102T45-514/814-45-31	
	102	4	6×12	8×14	35°	2×14	-	5.0	1431-102T45-612/814-45-31	
	102	4	6×13	8×16	40°	2×14	1	5.0	1431-102T45-613/816-45-31	
	102	4	7×12	8×14	35°	2	2	5.0	1431-102T45-712/814-45-31	
	102	4	6×12	9×12	35°	3×10	-	5.0	1431-102T45-612/912-45-31	
	102	4	3×13, 2×13	6×14	35°	3	1	4.5	1432-102T45-513/614-45-31	
	102	4	4×13, 1×13	8×14	35°	4×9	-	4.5	1433-102T45-513/814-45-31	
	102	4	4×12, 2×10	8×14	35°	4	1	4.5	1433-102T45-412210/814-45-31	
	102	4	4×12, 4×10	8×12	35°	4×9	-	4.5	1433-102T45-412410/812-45-31	
	115	4 1/2	7×14	8×14	35°	2×13	-	6.8	1431-102T45-714/814-45-31	

柱齿形钎头 Button bit		圆齿 Spherical buttons									
	89	3 1/2	4×13	8×13	40°	2×13	-	4.9	1431-89T51-413/813-45-31		
	89	3 1/2	5×13	8×13	35°	2×13	-	4.9	1431-89T51-513/813-45-31		
	89	3 1/2	6×12	8×12	30°	2	2	4.9	1431-89T51-612/812-45-31		
	89	3 1/2	6×13	8×13	35°	2×13	1	4.9	1431-89T51-613/813-45-31		
	89	3 1/2	6×12	8×14	35°	2×13	-	4.9	1431-89T51-612/814-45-31		
	89	3 1/2	6×10	9×11	35°	3×12	-	4.9	1431-89T51-610/911-45-31		
	89	3 1/2	4×11, 1×11	8×13	35°	4×10	-	4.9	1432-89T51-511/813-45-31		
	89	3 1/2	4×11, 2×11	8×12	35°	4×10	-	4.9	1433-89T51-611/812-45-31		
	89	3 1/2	4×12, 2×10	8×12	35°	4×10	-	4.9	1433-89T51-412210/812-45		
	102	4	4 × 14	8×16	35°	2×14	-	5.8	1431-102T51-414/816-45-31		
	102	4	6×14	8×14	35°	2×14	-	5.8	1431-102T51-614/814-45-31		
	102	4	6×13	8×16	35°	2	1	5.8	1431-102T51-613/816-45-31		
	102	4	6×14	8×16	35°	2×14	-	5.8	1431-102T51-614/816-45-31		
	102	4	6×12	9×12	35°	3×12	-	5.9	1431-102T51-612/912-45-31		
	102	4	7×12	9×12	35°	3×12	-	5.9	1431-102T51-712/912-45-31		
	102	4	7×12	9×14	35°	3×12	-	5.9	1431-102T51-712/914-45-31		
	102	4	3×13, 2×13	6×16	35°	3	1	5.8	1432-102T51-513/616-45-31		
	102	4	4×13, 1×13	8×14	35°	4×11	-	5.8	1433-102T51-513/814-45-31		
	102	4	4×12, 2×12	8×12	35°	4×11	-	5.8	1433-102T51-612/812-45-31		
	102	4	4×13, 2×13	8×13	35°	4×11	1	5.8	1433-102T51-613/813-45-31		
	102	4	4×12, 2×11	8×14	35°	4×11	1	5.8	1433-102T51-412211/813-45		
	102	4	4×12, 3×12	8×13	35°	4×11	-	5.8	1433-102T51-712/813-45-31		
	115	4 1/2	6×14	8×16	35°	2	-	6.8	1431-115T51-614/816-45-31		
	115	4 1/2	8×13	9×14	35°	3×12	-	6.8	1431-115T51-813/914-45-31		
	115	4 1/2	9×12	9×13	35°	3×12	-	6.8	1431-115T51-912/913-45-31		
	115	4 1/2	4×13, 2×13	8×14	35°	4×11	-	6.8	1432-115T51-613/814-45-31		
	115	4 1/2	4×14, 2×14	8×16	35°	4×11	-	6.8	1433-115T51-614/816-45-31		
	115	4 1/2	4×13, 3×13	8×14	35°	4×10	-	6.8	1433-115T51-713/814-45-31		
	115	4 1/2	4×14, 4×11	8×14	35°	4×11	-	6.8	1433-115T51-414411/814-45		
	115	4 1/2	6×14, 1×14	9×14	35°	3×12	-	6.8	1433-115T51-714/813-45-31		
	127	5	8×14	8×16	35°	2×14	1	7.5	1431-127T51-814/816-45-31		
	127	5	9×12	8×16	40°	2×14	-	7.5	1431-127T51-912/816-45-31		
	127	5	8×14	9×14	40°	3×13	-	7.5	1431-127T51-814/914-45-31		
	127	5	9×13	9×14	35°	3×13	-	7.5	1431-127T51-913/914-45-31		
	127	5	9×13	12×13	35°	3×13	-	7.5	1431-127T51-913/1213-45		
	127	5	4×16, 2×13	8×16	35°	4×10	-	7.5	1432-127T51-416213/816-45		
	127	5	4×14, 3×14	8×14	35°	4×10	-	7.5	1433-127T51-714/814-45-31		
	127	5	4×14, 4×12	8×14	35°	4×10	-	7.5	1431-127T51-414412/814-45		

柱齿形钎头 Button bit	抛物线齿 Ballistic buttons									
	89	3 1/2	5×13	8×13	35°	2×13	-	4.9		
	89	3 1/2	6×12	8×12	30°	2	2	4.9	1431-89T51-612/812-45-51	
	89	3 1/2	6×13	8×13	35°	2×13	1	4.9	1431-89T51-613/813-45-51	
	89	3 1/2	6×12	8×14	35°	2×13	-	4.9	1431-89T51-612/814-45-51	
	89	3 1/2	6×10	9×11	35°	3×12	-	4.9	1431-89T51-610/911-45-51	
	89	3 1/2	4×11, 1×11	8×13	35°	4×10	-	4.9	1432-89T51-511/813-45-51	
	89	3 1/2	4×11, 2×11	8×12	35°	4×10	-	4.9	1433-89T51-611/812-45-51	
	89	3 1/2	4×12, 2×10	8×12	35°	4×10	-	4.9	1433-89T51-412210/812-45	
	102	4	6×14	8×14	35°	2×14	-	5.8	1431-102T51-614/814-45-51	
	102	4	6×13	8×16	35°	2	1	5.8	1431-102T51-613/816-45-51	
	102	4	6×14	8×16	35°	2×14	-	5.8	1431-102T51-614/816-45-51	
	102	4	6×12	9×12	35°	3×12	-	5.9	1431-102T51-612/912-45-51	
	102	4	7×12	9×12	35°	3×12	-	5.9	1431-102T51-712/912-45-51	
	102	4	7×12	9×14	35°	3×12	-	5.9	1431-102T51-712/914-45-51	
	102	4	3×13, 2×13	6×16	35°	3	1	5.8	1432-102T51-513/616-45-51	
	102	4	4×13, 1×13	8×14	35°	4×11	-	5.8	1433-102T51-513/814-45-51	
	102	4	4×13, 2×13	8×13	35°	4×11	1	5.8	1433-102T51-613/813-45-51	
	102	4	4×12, 2×11	8×14	35°	4×11	1	5.8	1433-102T51-412211/814-45	
	102	4	4×12, 3×12	8×13	35°	4×11	-	5.8	1433-102T51-712/813-45-51	
	115	4 1/2	6×13	8×16	35°	2	1	6.8	1431-115T51-613/816-45-51	
	115	4 1/2	6×14	8×16	35°	2	1	6.8	1431-115T51-614/816-45-51	
	115	4 1/2	8×13	9×14	35°	3×12	-	6.8	1431-115T51-813/914-45-51	
	115	4 1/2	9×12	9×13	35°	3×12	-	6.8	1431-115T51-912/913-45-51	
	115	4 1/2	4×13, 2×13	8×14	35°	4×11	-	6.8	1432-115T51-613/814-45-51	
	115	4 1/2	4×14, 2×14	8×16	35°	4×11	-	6.8	1433-115T51-614/816-45-51	
	115	4 1/2	4×13, 3×13	8×14	35°	4×10	-	6.8	1431-115T51-713/814-45-51	
	115	4 1/2	4×13, 4×11	8×14	35°	4×11	-	6.8	1431-115T51-413411/814-45	

SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Rock Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: +86 135 6302 6509

+86 138 6352 6509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

WeChat: +86 13563026509

WhatsApp: +86 135 6302 6509

SKYPE: sui671100

Website: www.rockdrillingtools.com

www.china-rocktool.com

**ADD: Xihu Town 10#, Yanggu ,Liaocheng city , Shandong province ,
China**