






SHANK ADAPTER-钎尾


Atlas Copco 阿特拉斯	Rock drill 配凿岩机型	Thread 螺纹	Length (mm) 长度	Weight (Kg) 重量	Flushing (mm) 内孔 直径	型号 P/N
	Atlas Copco BBC 43, BBC 44, BBC 45, BBC 100	R32	380	2.2	10	TSQW-R32-380-BBC43
	Atlas Copco BBC 51, BBC 52, BBC 54, BBC 120	R32 T38	380 390	2.9 3.4	10 10	TSQW-R32-380-BBC51 TSQW-T38-390-BBC52
	Atlas Copco BBE 57	T38	538	5.6	14	TSQW-T38-538-BBE57
	Atlas Copco COP 125, COP 130, COP 131	T38	380	3.3	14	TSQW-T38-380-COP125
 	Atlas Copco COP 1032HD	R32 R38	340 340	3.7 4.4	---	TSQW-T38-340-COP1032HD TSQW-R38-340-COP1032HD
	Atlas Copco COP 1032	R32 R35 R38 T38	550 550 550 550	5.3 5.6 5.7 5.7	----	TSQW-R32-550-COP1032 TSQW-R35-550-COP1032 TSQW-R38-550-COP1032 TSQW-T38-550-COP1032
	Atlas Copco COP 1036 COP 1038HB	R32 T38 T45	500 500 500	4.3 4.7 5.3	----	TSQW-R32-500-COP1036 TSQW-T38-500-COP1036 TSQW-T45-500-COP1038HB
	Atlas Copco COP 1038HD COP 1238	R32 R38 T38	485 485 485	4.3 4.5 4.5	----	TSQW-R32-485-COP1038HD TSQW-R32-485-COP1038HD TSQW-T38-485-COP1238

	Atlas Copco COP 1038HL	R32 T38 T45	575 575 575	4.9 5.2 6.1	-----	TSQW-R32-575-COP1038HL TSQW-T38-575-COP1038HL TSQW-T45-575-COP1038HL
	Atlas Copco COP 1238	R32 T38 R38 T38 T45 R32 R38 T38 T38 T45	500 500 485 485 500 575 575 575 575 575	4.0 4.4 4.2 4.2 5.0 4.9 5.0 5.2 5.7 6.1	----- -----	TSQW-R32-500-COP1238 TSQW-T38-50-COP12380 TSQW-R38-485-COP1238 TSQW-T38-485-COP1238 TSQW-T45-500-COP1238 TSQW-R32-575-COP1238 TSQW-R38-575-COP1238 TSQW-T38-575-COP1238 TSQW-T38-575-COP1238 TSQW-T45-575-COP1238
	Atlas Copco COP 1432, COP 1532, COP 1440, COP 1838 HD, COP 1838 ME	R32 R38 T38 R32 T38	435 435 435 525 525	3.9 4.2 4.2 4.8 5.0	-----	TSQW-R32-435-COP1432 TSQW-R38-435-COP1532 TSQW-T38-435-COP1440 TSQW-R32-525-COP1838HD TSQW-T38-525-COP1838ME
	Atlas Copco COP 1432, COP 1532	R32 R38	341 341	4.7 5.2	--	TSQW-R32-341-COP1432 TSQW-R38-341-COP1532
	Atlas Copco COP 1550, COP 1838ME/HE	T38 T45 T51	525 525 525	6.2 6.4 6.8	---	TSQW-T38-525-COP1550 TSQW-T45-525-COP1838ME TSQW-T51-525-COP1838HE
	Atlas Copco COP 1550 EX, COP 1838 EX	T38 T45 T51	730 730 730	10.1 10.5 10.7	---	TSQW-T38-730-COP1550EX TSQW-T45-730-COP1550EX TSQW-T51-730-COP1838EX

	Atlas Copco COP 1840HE COP 1850	T45 T51	565 565	7.2 7.4	--	TSQW-T45-565-COP1840HE TSQW-T51-565-COP1850
	Atlas Copco COP 2150PG	T51	770	11.2	-	TSQW-T51-770-COP2150PG
	Atlas Copco COP 2160EX	T45 T51	770 770	13.2 13.3	--	TSQW-T45-770-COP2160EX TSQW-T51-770-COP2160EX
	Atlas Copco COP 4050EX	ST68	805	69.6	-	TSQW-ST68-805-COP4050EX
	Atlas Copco COP 4050MUX	ST68	835	69.9	-	TSQW-T68-835-COP4050MUX
	Boart HD 125, HD 150, HD 160	R38 T38	495 495	5.6 5.6	--	TSQW-R38-495-HD125 TSQW-T38-495-HD150
	Furukawa M 120, PD 200	R32 R38 T38 T38	330 350 380 446	3.6 3.8 4.0 4.3	14.3 14.3 14.3 14.3	TSQW-R32-330-M120 TSQW-R38-350-M120 TSQW-T38-380-PD200 TSQW-T38-446-PD200
	Furukawa PD 200R	T38 T45	484 484	4.0 4.3	14.3 14.3	TSQW-T38-484-PD200R TSQW-T45-484-PD200R
	Furukawa HD 260, HD 300	T38 T45	655 655	7.8 7.8	16 16	TSQW-T38-655-HD260 TSQW-T45-655-HD300


	Furukawa HD 609	T38 T38 T45	620 690 620	6.2 6.5 6.9	---	TSQW-T38-620-HD609 TSQW-T38-690-HD609 TSQW-T45-620-HD609
	Furukawa HD 612	T45	710	9.2	-	TSQW-T45-710-HD612
	Furukawa HD 712	T45	788	11.2	-	TSQW-T45-788-HD712
	Gardner-Den ver PR 123	R32 R38 T38 T45	380 380 380 380	3.6 3.9 3.9 4.2	14.3 14.3 14.3 14.3	TSQW-R32-380-PR123 TSQW-R38-380-PR123 TSQW-T38-380-PR123 TSQW-T45-380-PR123
	Ingersoll-R and URD475, URD550, VL120, EVL130, VL140, F16	R32 R38 T38 T38	330 350 380 446	3.6 3.8 4.0 4.3	14 14 14 14	TSQW-R32-330-URD745 TSQW-R38-350-URD550 TSQW-T38-380-VL120 TSQW-T38-446-EVL130
	Ingersoll-R and YH 65, YH 80	T38 T45	500 500	5.8 6.1	19 19	TSQW-T38-500-YH65 TSQW-T45-500-YH80
	Ingersoll-R and YH 65 RP, YH 70 RP, YH 75 RP, YH 80 RP	T45	700	8	19	TSQW-T45-700-YH65R
	Montabert HC 40	R32 R38 T38	447 447 447	3.9 4.1 4.1	---	TSQW-R32-447-HC40 TSQW-R38-447-HC40 TSQW-T38-447-HC40
	Montabert HC 40	R32 R38	270 320	4.1 4.4	---	TSQW-R32-270-HC40 TSQW-R38-320-HC40

	Montabert HC 80, HC 90, HC 105, HC 120	R32 R38 T38 T38	440 440 440 500	5.1 5.3 5.3 5.8	-----	TSQW-R32-440-HC80 TSQW-R38-440-HC90 TSQW-T38-440-HC105 TSQW-T38-500-HC120
	Montabert H 100	T38	540	5.6	14	TSQW-T38-540-H100
	Montabert HC 120, HC 150	T45	490	5.9	-	TSQW-T45-490-HC120
	Montabert HC 80R, HC 120R, HC 150R	T45 T51	670 670	8.3 8.3	--	TSQW-T45-670-HC80R TSQW-T51-670-HC120R
	Montabert HC 200	T51 T60	840 840	13.9 14.2	--	TSQW-T51-840-HC200 TSQW-T60-840-HC200
	SIG HBM 50, HBM 100, HBM 120	R32	340	3.7	-	TSQW-R32-340-HBM50
	SIG HBM 100, HBM 120	R38	340	4.4	-	TSQW-R38-340-HBM100
	SIG HBM 50, HBM 100, HBM 120	R32	550	5.3	-	TSQW-R32-550-HBM120
	SIG HBM 101	R32	500	4.6	-	TSQW-R32-500-HBM101

	Tamrock HL 300	R32	400	2.8	–	TSQW-R32-400-HL300
	Tamrock HL 300S	R32	245	2.8	–	TSQW-R32-245-HL300S
	Tamrock HLX 3	R32	324	3.8	–	TSQW-R32-324-HLX3
	Tamrock HLX 3F	R32	205	2.6	–	TSQW-R32-205-HLX3F
	Tamrock L400, L410, L500, L510, L550	R32	380	2.3	10	TSQW-R32-380-L400
	Tamrock HL 438, HL 538, HLR 438L, HLR 438T	R32 T38	380 400	3.2 3.6	12.7 12.7	TSQW-R32-380-HL438 TSQW-T38-400-HL538
	Tamrock HL 438LS, HL 438TS, HL 538, HL 538L, L 550S	R32 R38 T38 T38	450 450 455 545	4.1 4.3 4.3 4.8	----	TSQW-R32-450-HL438LS TSQW-R38-450-HL438LS TSQW-T38-455-HL438TS TSQW-T38-545-HL538
	Tamrock HL500-38, HL510-38	R32 T38	550 550	4.3 4.6	--	TSQW-R32-550-HL500-38 TSQW-T38-550-HL510-38
	Tamrock HL 500-45, HL 510-45	R32 T38 T45	550 550 550	5.6 5.6 6.1	---	TSQW-R32-550-HL500-45 TSQW-T38-550-HL500-45 TSQW-T45-550-HL510-45

	Tamrock HL 500S-38, HL 510S-38, HL 510B, HL 510HL	R32 R38 T38 R38 T38	460 460 460 500 500	3.9 4.1 4.1 4.3 4.3	---	TSQW-R32-460-HL500S-38 TSQW-R38-460-HL500S-38 TSQW-T38-460-HL500S-38 TSQW-R38-500-HL510B TSQW-T38-500-HL510HL
	Tamrock HL 500F, HL 510F	R32	350	3.6	-	TSQW-R32-350-HL500F
	Tamrock HL 550 SUPER, HL 560 SUPER, HL 510S-45	R38 T38 T45	500 500 500	5.5 5.5 5.6	---	TSQW-R38-500-HL550 TSQW-T38-500-HL560 TSQW-T45-500-HL510S-45
	Tamrock HLX 5, HLX 5T	R32 R38 T38 R32 T38 T45	500 500 500 575 575 575	5.4 5.5 5.5 6.4 6.5 6.6	----- -	TSQW-R32-500-HLX5 TSQW-R38-500-HLX5 TSQW-T38-500-HLX5T TSQW-R32-575-HLX5 TSQW-T38-575-HLX5T TSQW-T45-575-HLX5T
	Tamrock HLX5 PE-45	R32 T38	575 575	6.3 6.4	--	TSQW-R32-575-HLX5PE-45 TSQW-T38-575-HLX5PE-45
	Tamrock HL 600-45, HL 600S-45	T38 T45 R32 T38 T45	600 600 525 525 525	6.7 6.7 5.9 6.0 6.1	-----	TSQW-T38-600-HL600-45 TSQW-T45-600-HL600-45 TSQW-R32-525-HL600S-45 TSQW-T38-525-HL600S-45 TSQW-T45-525-HL600S-45
	Tamrock HL 600-52, HL 600S-52	T45 T51	650 650	8.0 8.0	--	TSQW-T45-650-HL600-52 TSQW-T51-650-HL600S-52
	Tamrock HL 645, HL 645S	T38 T45	600 600	6.6 6.8	--	TSQW-T38-600-HL645 TSQW-T45-600-HL645S
	Tamrock HL 650-45, HL 700-45, HL 700T-45, HL 710-45, HL 800T-45	T38 T45	600 600	7.3 7.8	--	TSQW-T38-600-HL650-45 TSQW-T45-600-HL700-45

	Tamrock HL 650-52, HL 700-52, HL 710-52, HL 800T-52	T38 T45 T51	600 600 600	8.3 8.8 8.8	---	TSQW-T38-600-HL650-52 TSQW-T45-600-HL700-52 TSQW-T51-600-HL710-52
	Tamrock HL 850 HL 850S	T45 T51	670 670	9.8 10.1	--	TSQW-T45-670-HL850 TSQW-T51-670-HL850S
	Tamrock HL 1000-52, HL 1000S-52	T45 T51 T45 T51	670 670 590 590	10.3 11.0 8.7 8.7	----	TSQW-T45-670-HL1000-52 TSQW-T51-670-HL1000S-52 TSQW-T45-590-HL1000-52 TSQW-T51-590-HL1000S-52
	Tamrock HL 1000-60	T51 T60	670 670	13.3 13.4	--	TSQW-T51-670-HL1000-60 TSQW-T60-670-HL1000-60
	Tamrock HL 1000-80	T60	670	20.9	-	TSQW-T60-670-HL1000-80
	Tamrock HL 1000S-80	ST58 ST68	635 640	18.2 19.1	--	TSQW-ST58-635-1000S-80 TSQW-ST68-640-1000S-80
	Tamrock HL 1000 PE-52	T51	840	14.2	-	TSQW-T51-840-HL1000PE-52
	Tamrock HL 1000 PE-65, HL 1500 PE-65, HL 1560 T-65	T51 T60	760 760	16.8 16.9	--	TSQW-T51-760-HL1000PE-65 TSQW-T60-760-HL1500PE-65
	Tamrock HL 1500-52, HL 1500T-52	T51	710	11.9	-	TSQW-T51-710-HL1500-52
	Tamrock HL 1500-60, HL 1500T-60	T51 T60	760 760	16.1 16.1	--	TSQW-T51-760-HL1500-60 TSQW-T60-760-HL1500T-60

	Tamrock HL 1500-T80	T60	760	22.9	—	TSQW-T60-760-HL1500-T80
	Tamrock HL 1500-S80	ST58 ST68	635 635	18.8 18.9	—	TSQW-ST58-635-HL1500-S80 TSQW-ST68-635-HL1500-S80
	Tamrock HL 1500-SPE90	ST58 ST68	635 635	21.8 21.9	—	TSQW-ST58-635-1500-SPE90 TSQW-ST68-635-1500-SPE90

SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Rock Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: +86 135 6302 6509

+86 138 6352 6509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

WeChat: +86 13563026509

WhatsApp: +86 135 6302 6509

SKYPE: sui671100

Website: www.rockdrillingtools.com

www.china-rocktool.com

ADD: Xihu Town 10#, Yanggu ,Liaocheng city , Shandong province ,
China