





INTEGRAL DRILL ROD-整体钎

19mm shank	Length 长度		Bit	Weight	P/N 型号
	mm 毫米	Foot 英尺	Diameter 钎头直径	Kg 重量	
一字钎头整体钎 Chisel bit integral 钎柄 19mm×108mm Shank 19mm×108mm 	400	1' 4"	29	1.3	H19-291508-0400-40-1
	500	1' 8"	29	1.5	H19-291508-0500-40-1
	800	2' 7"	28	2.2	H19-281508-0800-40-1
	1000	3' 33/8"	28	2.6	H19-281508-1000-40-1
	1200	3' 11"	27	3.0	H19-271508-1200-40-1
	1600	5' 3"	27	3.9	H19-271508-1600-40-1
	2400	7' 10"	26	5.7	H19-261508-2400-40-1
	3200	10' 6"	25	7.5	H19-251508-3200-40-1
	4000	13' 1"	24	9.2	H19-241508-4000-40-1
	400	1' 4"	24	1.3	H19-241508-0400-40-1
	800	2' 7"	23	2.2	H19-231508-0800-40-1
	600	2'	27	1.7	H19-271508-0600-40-1
	1200	3' 11"	26	3.0	H19-261508-1200-40-1
	2000	6' 7"	24	4.8	H19-241508-2000-40-1
	2400	7' 10"	24	5.7	H19-241508-2400-40-1
	2700	8' 10"	24	6.3	H19-241508-2700-40-1
一字钎头整体钎 Chisel bit integral 钎柄 22mm×108mm Shank 22mm×108mm 	400	1' 4"	24	1.5	H19-241508-0400-40-1
	400	1' 4"	29	1.5	H19-291508-0400-40-1
	600	2'	27	1.7	H19-271508-0600-40-1
	800	2' 7"	23	2.3	H19-231508-0800-40-1
	800	2' 7"	28	2.3	H19-281508-0800-40-1
	1200	3' 11"	23	3.2	H19-231508-1200-40-1
	1600	5' 3"	27	4.0	H19-271508-1600-40-1
	2000	6' 7"	28	5.0	H19-281508-2000-40-1
	2400	7' 10"	26	5.8	H19-261508-2400-40-1
	3200	10' 6"	25	7.5	H19-251508-3200-40-1
形整体钎 Plug hole rods 钎柄 19mm×108mm Shank 19mm×108mm 	Length (mm) 长度	Bit Diameter 钎头直径	Turned Length 圆体长度	Weight Kg 重量	P/N 型号
	210	17	150	0.7	H19-171308-0210-40-1
	210	20	150	0.7	H19-201308-0210-40-1
	210	22	150	0.7	H19-221308-0210-40-1
	260	20	200	0.8	H19-201308-0260-40-1
	260	22	200	0.8	H19-221308-0260-40-1
	310	22	250	0.9	H19-221308-0310-40-1
	340	20	280	1.0	H19-201308-0340-40-1

22mm shank	Length 长度		Bit Diameter 钎头直径	Weight Kg 重量	P/N 型号
	mm 毫米	Foot 英尺			
一字钎头整体钎 Chisel bit integral 钎柄 22mm×108mm Shank 22mm×108mm 	800	2' 7"	34	3.0	H22-341810-0800-40-1
	1600	5' 3"	33	5.2	H22-331810-1600-40-1
	2400	7' 10"	32	8.0	H22-321810-2400-40-1
	3200	10' 6"	31	10.2	H22-311810-3200-40-1
	4000	13' 1"	30	12.9	H22-301810-4000-40-1
	4800	15' 9"	29	15.1	H22-291810-4800-40-1
	5600	18' 4"	28	17.6	H22-281810-5600-40-1
	6400	21'	27	20.1	H22-271810-6400-40-1
	7200	23' 6"	26	22.5	H22-261810-7200-40-1
	800	2' 7"	40	3.0	H22-401810-0800-40-1
	1600	5' 3"	39	5.2	H22-391810-1600-40-1
	2400	7' 10"	38	8.0	H22-381810-2400-40-1
	3200	10' 6"	37	10.2	H22-371810-3200-40-1
	4000	13' 1"	36	12.9	H22-361810-4000-40-1
	4800	15' 9"	35	15.1	H22-351810-4800-40-1
	5600	18' 4"	34	17.6	H22-341810-5600-40-1
	6400	21'	33	20.1	H22-331810-6400-40-1
	7200	23' 6"	32	22.5	H22-321808-7200-40-1
	8000	26' 2"	31	25.0	H22-311808-8000-40-1
	400	1' 4"	34	1.7	H22-341810-0400-40-1
	800	2' 7"	33	3.0	H22-331810-0800-40-1
	1200	3' 11"	32	4.1	H22-321808-1200-40-1
	1600	5' 3"	31	5.2	H22-311808-1600-40-1
	2000	6' 7"	30	6.7	H22-301808-2000-40-1
	600	2'	41	2.4	H22-411810-0600-40-1
	1200	3' 11"	40	4.3	H22-401810-1200-40-1
	1800	5' 11"	39	6.2	H22-391810-1800-40-1
	2400	7' 10"	38	8.0	H22-381810-2400-40-1
	400	1' 4"	41	1.7	H22-411810-0400-40-1
	800	2' 7"	29	3.0	H22-291508-0800-40-1
	800	2' 7"	38	3.1	H22-381810-0800-40-1
	1200	3' 11"	39	4.3	H22-391810-1200-40-1
	1600	5' 3"	36	5.2	H22-361810-1600-40-1
	1800	5' 11"	36	6.0	H22-361810-1800-40-1
	2000	6' 7"	32	6.7	H22-321508-2000-40-1
	2400	7' 10"	27	8.0	H22-271508-2400-40-1
	3200	10' 6"	27	10.2	H22-271508-3200-40-1
	3200	10' 6"	32	10.3	H22-321808-3200-40-1
	6400	21'	30	20.1	H22-301808-6400-40-1
	8000	26' 2"	26	25.0	H22-261508-8000-40-1

SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Rock Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: +86 135 6302 6509

+86 138 6352 6509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

WeChat: +86 13563026509

WhatsApp: +86 135 6302 6509

SKYPE: sui671100

Website: www.rockdrillingtools.com

www.china-rocktool.com

**ADD: Xihu Town 10#, Yanggu ,Liaocheng city , Shandong province ,
China**