




# TAPERED CHISEL BIT

# 锥度一字钎头

Drill bit 钎头	Diameter 直径		For class of Rock 适用岩石等级	Tip size (mm) 合金	Taper 锥度	Weight (kg) 重量	P/N 型号
	mm 毫米	Inch 英寸		Height×Width 高×厚			
一字形钎头 Chisel bit  	26	1 1/32	10~14	13×8	7°	0.24	1111-26721-13/8-40-21
	28	1 7/64	10~14	13×8	7°	0.28	1111-28721-13/8-40-21
	30	1 3/16	8~12	13.5×8	7°	0.28	1111-30722-13.5/8-40-21
	30	1 3/16	10~14	13.5×8	7°	0.28	1111-30722-13.5/8-40-11
	32	1 1/4	8~12	13.5×8	7°	0.30	1111-32722-13.5/8-40-21
	32	1 1/4	10~14	13.5×8	7°	0.30	1111-32722-13.5/8-40-21
	34	1 11/32	8~12	13.5×8	7°	0.34	1111-34722-13.5/8-40-21
	34	1 11/32	10~14	13.5×8	7°	0.34	1111-34722-13.5/8-42-21
	36	1 27/64	8~12	13.5×8	7°	0.36	1111-36722-13.5/8-40-21
	36	1 27/64	10~14	13.5×8	7°	0.36	1111-36722-13.5/8-42-21
	38	1 1/2	8~12	13.5×8	7°	0.38	1111-38722-13.5/8-40-21
	38	1 1/2	10~14	13.5×8	7°	0.38	1111-38722-13.5/8-42-21
	38	1 1/2	8~12	15×9	7°	0.38	1111-38722-15/9-40-21
	38	1 1/2	10~14	15×9	7°	0.38	1111-38722-15/9-42-21
	40	1 37/64	8~12	13.5×9.2	7°	0.40	1111-40722-13/9-40-21
	40	1 37/64	10~14	13.5×9.2	7°	0.40	1111-40722-13/9-42-21
	40	1 37/64	14~16	13.5×9.2	7°	0.40	1111-40722-13.5/9-40-21
	40	1 37/64	16~18	13.5×9.2	7°	0.40	1111-40722-13/9.2-40-21
	40	1 37/64	8~12	15×9.8	7°	0.40	1111-40722-15/9.8-40-21
	40	1 37/64	10~14	15×9.8	7°	0.40	1111-40722-15/9.8-40-22
	40	1 37/64	14~16	15×9.8	7°	0.40	1111-40722-15/9-40-21
	40	1 37/64	16~18	15×9.8	7°	0.40	1111-40722-15/9.8-40-23
	40	1 37/64	13~15	13.5×9.2	7°	0.40	1111-40722-13/9-40-21
	40	1 37/64	13~15	15×9.8	7°	0.40	1111-40722-15/9.8-40-24
	42	1 2/3	8~12	13.5×9.2	7°	0.42	1111-42722-13.5/9-40-21
	42	1 21/32	10~14	13.5×9.2	7°	0.42	1111-42722-13/9-40-21
	42	1 21/32	14~16	13.5×9.2	7°	0.42	1111-42722-13/9-40-22
	42	1 21/32	16~18	13.5×9.2	7°	0.42	1111-42722-13/9-40-23
	42	1 21/32	8~12	15×9.8	7°	0.42	1111-42722-15/9-40-21
	42	1 21/32	10~14	15×9.8	7°	0.42	1111-42723-15/9-40-22
	42	1 21/32	10~14	15×9.8	7°	0.42	1111-42723-15/9-40-23
	42	1 21/32	16~18	15×9.8	7°	0.42	1111-42723-15/9-40-24
	42	1 21/32	13~15	13.5×9.2	7°	0.42	1111-42725-13/9.2-40-21
42	1 21/32	13~15	15×9.8	7°	0.42	1111-42725-15/9.8-40-21	
43	1 11/16	8~12	13.5×9.2	7°	0.43	1111-43725-13/9-40-21	
43	1 11/16	10~14	13.5×9.2	7°	0.43	1111-43725-13/9-40-22	

一字形斜刃钎头 Chisel bit  	20	25/32	10~14	12×6	4°	0.12	1112-20415-12/6-45-21
	22	55/64	10~14	12×6	4°	0.16	1112-22415-12/6-42-21
	24	15/16	10~14	13×8	4°	0.18	1112-24415-13/8-42-21
	26	1 1/32	10~14	13×8	4°	0.22	1112-26415-13/8-42-21
	28	1 7/64	10~14	13×8	6°	0.26	1112-28415-13/8-42-21
	30	1 3/16	10~14	13.5×8	7°	0.28	1112-30615-13/8-42-21
	32	1 1/4	10~14	13.5×8	7°	0.32	1112-32722-13/8-42-21
	33	1 19/64	10~14	13.5×8	7°	0.33	1112-33722-13/8-42-21
	34	1 11/32	10~14	13.5×8	7°	0.35	1112-34722-13/8-40-21
	36	1 27/64	10~14	13.5×8	7°	0.35	1112-36722-13/8-40-21
	38	1 1/2	10~14	13.5×8	7°	0.39	1112-38722-13/8-40-21
	40	1 37/64	10~14	13.5×9.2	7°	0.40	1112-40722-13/9-40-21
	41	1 5/8	10~14	13.5×9.2	7°	0.41	1112-41722-13/9-40-21
	42	1 21/32	10~14	13.5×9.2	7°	0.42	1112-42722-13/9-40-21
	一字形斜刃钎头 Chisel bit  	40	1 37/64	10~14	13.5×9.2	7°	0.40
41		1 5/8	10~14	13.5×9.2	7°	0.41	1113-41722-13/10-40-22
42		1 21/32	10~14	13.5×9.2	11°	0.42	1113-421122-13/10-40-22
43		1 11/16	10~14	13.5×9.2	11°	0.42	1113-431122-13/10-40-22
45		1 3/4	10~14	22×16×10	11°	0.45	1113-451122-16/10-40-22
50		1 31/32	10~14	22×16×10	11°	0.50	1113-501122-16/10-40-22
56		2 1/4	10~14	26×16×10	11°	0.56	1113-561122-16/10-40-22
60		2 23/64	10~14	26×16×10	11°	0.60	1113-601122-16/10-40-22
65		2 1/2	10~14	26×16×10	11°	0.60	1113-651122-16/10-40-22

## SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Rock Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: +86 135 6302 6509

+86 138 6352 6509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

WeChat: +86 13563026509

WhatsApp: +86 135 6302 6509

SKYPE: sui671100

Website: www.rockdrillingtools.com

www.china-rocktool.com

ADD: Xihu Town 10#, Yanggu ,Liaocheng city , Shandong province , China

