













# 浅孔螺纹钎具 Drifting and tunneling R25

Drill bit 钎头	Diameter 直径		No×button diameter 合金数量×直径			Flushing 水孔		Weight Kg 重量	P/N 型号
	mm 毫米	Inch 英寸	Front 中齿	Gauge 边齿	Angle 倾角	Front 正	Side 侧		
	圆齿 Spherical buttons								
柱齿形钎头 Button bit 	33	1 19/64	2×7	5×7	35°	1×5	1×6	0.4	1431-33R25-27/57-45-41
	35	1 3/8	2×7	5×8	35°	1×5	1×6	0.4	1431-35R25-27/58-45-41
	37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	1431-37R25-27/59-45-41
	38	1 1/2	2×8	4×9	30°	1×6	2×4	0.5	1431-38R25-28/49-45-41
	38	1 1/2	2×7	5×9	30°	1×5	1×6	0.5	1431-38R25-27/59-45-41
	41	1 5/8	2×9	4×9	35°	1×6	2×4	0.6	1431-41R25-29/49-45-41
	41	1 5/8	2×8	5×9	35°	1×5	1×6	0.6	1431-41R25-28/59-45-41
	45	1 3/4	2×9	4×11	35°	1×6	2×4	0.6	1431-45R25-29/411-45-41
	45	1 3/4	2×8	5×10	30°	1×6	2×4	0.6	1431-45R25-28/510-45-41
	45	1 3/4	2×8	5×11	30°	1×6	2×4	0.6	1431-45R25-28/511-45-41
抛物线齿 Ballistic buttons									
	33	1 19/64	2×7	5×7	35°	1×5	1×6	0.4	1431-33R25-27/57-45-51
	35	1 3/8	2×7	5×9	25°	1×5	1×6	0.4	1431-35R25-27/59-45-51
	38	1 1/2	2×7	5×9	40°	1×5	1×6	0.5	1431-38R25-27/59-45-51
	41	1 5/8	2×8	5×9	40°	1×5	1×6	0.6	1431-41R25-28/59-45-51
	45	1 3/4	2×9	5×10	35°	1×6	2×4	0.6	1431-45R25-29/510-45-51
扩孔钎头 Reaming bit 6° 	64	2 1/2	2×10	8×9	35°	-	-	0.8	1441-646-210/89-45-41
	64	2 1/2	4×8	8×9	25°	-	-	0.8	1441-646-48/89-45-41
	76	3	2×11	8×11	35°	-	-	1.2	1441-766-211/811-45-41
	76	3	4×10	8×10	30°	-	-	1.2	1441-766-410/810-45-41
	89	3 1/2	4×11	8×11	35°	-	-	1.7	1441-896-411/811-45-41
	89	3 1/2	4×10	8×10	30°	-	-	1.7	1441-896-410/810-45-41
扩孔导向器 Pilot adapter 6° 	26	1 1/32	12×8	-	-	-	1.3	1442-26R25-12/8-42-22	
十字型钎头 Cross-type bit 	33	1 19/64	14×8	-	-	1	2	0.4	1221-33R25-14/8-42-23
	35	1 3/8	14×8	-	-	1	2	0.5	1221-35R25-14/8-42-23
	38	1 1/2	14×8	-	-	1	4	0.6	1221-38R25-14/8-42-23
	41	1 5/8	14×8	-	-	1	4	0.7	1221-41R25-14/8-42-23
	43	1 11/16	14×8	-	-	1	4	0.7	1221-43R25-14/8-42-23
	45	1 3/4	14×8	-	-	1	2	0.8	1221-45R25-14/8-42-23
	51	2	14×8	-	-	1	4	1.1	1221-51R25-14/8-42-23

六方钎杆 Drifter rod, R32-Hex25-R25 内孔 Flushing hole 8.6mm. 	2100	7	25	1	8.6	22H25-R25/R32-2100-23	
	2400	8	25	1	9.6	22H25-R25/R32-2400-23	
	2600	8' 8"	25	1	10.4	22H25-R25/R32-2600-23	
	2800	9	25	1	11.1	22H25-R25/R32-2800-23	
	3090	10	25	1	12.2	22H25-R25/R32-3090-23	
	3700	12	25	1	14.6	22H25-R25/R32-3700-23	
	六方钎杆 Extension rod, R25-Hex25-R25 内孔 Flushing hole 8.6mm. 	915	3	25	1	3.4	23H25-R25-0915-23
1000		3' 33/8"	25	1	4.0	23H25-R25-1000-23	
1220		8"	25	1	4.6	23H25-R25-1220-23	
1525		4	25	1	5.8	23H25-R25-1525-23	
1830		5	25	1	7.0	23H25-R25-1830-23	
2435		6	25	1	9.3	23H25-R25-2435-23	
六方快接钎杆 Speedrod, R25-Hex25-R25 内孔 Flushing hole 8.6mm. 	610	2	25	1	2.7	24H25-R25/35-0610-23	
	1220	4	25	1	5.1	24H25-R25/35-1220-23	
Shank end rod 六角尾钎杆	Length 长度		Diameter 直径		Weight Kg 重量	P/N 型号	
	mm 毫米	Foot 英尺	mm 毫米	Inch 英寸			
六棱尾钎杆 Shank adapter/rod  	钎尾 22mm×108mm Shank 22mm×108mm						
	610	2	22	7/8	2.6	21H22-R25/108-0610-40	
	760	2' 6"	22	7/8	2.9	21H22-R25/108-0760-40	
	1000	3' 3"	22	7/8	3.7	21H22-R25/108-1000-40	
	1200	4	22	7/8	4.4	21H22-R25/108-1200-40	
	1830	6	22	7/8	6.3	21H22-R25/108-1830-40	
	2435	8	22	7/8	8.1	21H22-R25/108-2435-40	
	3200	10' 6"	22	7/8	10.6	21H22-R25/108-3200-40	
	钎尾 25mm×159mm Shank 25mm×159mm						
	2700	8' 10"	25	1	11.3	21H25-R25/159-2700-40	
3200	10' 6"	25	1	13.7	21H25-R25/159-3200-40		
Coupling 连接套	Length 长度		Diameter 直径		Thread 螺纹	Weight Kg 重量	P/N 型号
	mm 毫米	Inch 英寸	mm 毫米	Inch 英寸			
同径连接套 Coupling sleeves 	155	6 1/8	44	1 3/4	R32	1.0	31-R32-44-155-23
	150	5 7/8	35	1 3/8	R25	0.7	31-R25-35-150-23
	160	6 5/16	38	1 1/2	R25	1.3	31-R25-38-160-23
变径连接套 Coupling sleeves of different diameter 	150	5 7/8	45	1 3/4	R25-R32	1.1	31-R25-R32-45-150-23
	160	6 5/16	45	1 3/4	R25-R32	1.2	31-R25-R32-45-160-23
	160	6 5/16	56	1 13/64	R25-R38	2.5	31-R25-R38-56-160-23
	170	6 3/4	56	1 13/64	R25-T38	3.2	31-R25-T38-56-170-23

**SHANDONG TAI SHAN ROCK TOOLS CO., LTD**

**Mr:Rock Sui**

**Tel: 0086-635-6515509**

**Fax:0086-635-6515678**

**Mobile: +86 135 6302 6509**

**+86 138 6352 6509**

**Email:chinarocktool@163.com**

**rockdrillingtools@163.com**

**export@china-rocktool.com**

**export@rockdrillingtools.com**

**WeChat: +86 13563026509**

**WhatsApp: +86 135 6302 6509**

**SKYPE: sui671100**

**Website: www.rockdrillingtools.com**

**www.china-rocktool.com**

**ADD: Xihu Town 10 #, Yanggu ,Liaocheng city , Shandong province ,  
China**