







浅孔螺纹钎具 Drifting and tunneling R28

Drill bit 钎头	Diameter 直径		No×button diameter 合金数量×直径			Flushing 水孔		Weight Kg 重量	P/N 型号	
	mm 毫米	Inch 英寸	Front 中齿	Gauge 边齿	Angle 倾角	Front 正	Side 侧			
	圆齿 Spherical buttons									
柱齿形钎头 Button bit 	37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	1431-37R28-27/59-45-41	
	38	1 1/2	2×8	4×9	30°	1×6	2×4	0.6	1431-38R28-28/49-45-41	
	38	1 1/2	2×7	5×9	30°	1×5	1×6	0.6	1431-38R28-27/59-45-41	
	41	1 5/8	2×8	5×9	35°	1×5	1×6	0.7	1431-41R28-28/59-45-41	
	43	1 11/16	2×9	5×9	35°	1×6	2×4	0.8	1431-43R28-29/59-45-41	
	45	1 3/4	2×9	5×10	30°	1×6	2×4	0.9	1431-45R28-29/510-45-41	
	45	1 3/4	3×8	6×9	35°	1×5	3×4.5	0.9	1431-45R28-38/69-45-41	
	抛物线齿 Ballistic buttons									
		37	1 29/64	2×7	5×9	30°	1×5	1×6	0.5	1431-37R28-27/59-45-51
		38	1 1/2	2×8	4×9	30°	1×6	2×4	0.6	1431-38R28-28/49-45-51
38		1 1/2	2×7	5×9	30°	1×5	1×6	0.6	1431-38R28-27/59-45-51	
41		1 5/8	2×8	5×9	35°	1×5	1×6	0.7	1431-41R28-28/59-45-51	
43		1 11/16	2×9	5×9	35°	1×6	2×4	0.8	1431-43R28-29/59-45-51	
45		1 3/4	2×9	5×10	30°	1×6	2×4	0.9	1431-45R28-29/510-45-51	
45		1 3/4	3×8	6×9	35°	1×5	3×4.5	0.9	1431-45R28-38/69-45-51	
48		1 7/8	2×9	5×11	30°	1×6	2×4	1.0	1431-48R28-29/511-45-51	
48	1 7/8	3×8	6×9	35°	1×5	3×5	1.0	1431-48R28-38/69-45-51		
扩孔钎头 Reaming bit 6° 	64	2 1/2	2×10	8×9	35°	-	-	0.8	1441-646-210/89-45-41	
	64	2 1/2	4×8	8×9	25°	-	-	0.8	1441-646-48/89-45-41	
	76	3	2×11	8×11	35°	-	-	1.2	1441-766-211/811-45-41	
	76	3	4×10	8×10	30°	-	-	1.2	1441-766-410/810-45-41	
	89	3 1/2	4×11	8×11	35°	-	-	1.7	1441-896-411/811-45-41	
	89	3 1/2	4×10	8×10	30°	-	-	1.7	1441-896-410/810-45-41	
扩孔导向器 Pilot adapter 6° 	26	1 1/32	12×8	-	-	-	1.5	1442-26R28-12/8-42-22		
十字型钎头 Cross-type bit 	38	1 1/2	14×8	-	-	1×5	2×5	0.6	1221-38R28-14/8-42-23	
	41	1 5/8	14×8	-	-	1×5	4×5	0.7	1221-41R28-14/8-42-23	
	43	1 11/16	14×8	-	-	1×5	4×5	0.7	1221-43R28-14/8-42-23	
	45	1 3/4	14×8	-	-	1×5	4×6	0.9	1221-45R28-14/8-42-23	
	51	2	14×8	-	-	1×5	4×6	1.1	1221-51R28-14/8-42-23	

Drill rod 钎杆	Length 长度		Diameter 直径		Weight Kg 重量	P/N 型号
	mm 毫米	Foot 英尺	mm 毫米	Inch 英寸		
六方钎杆 Drifter rod, R32-Hex28-R28 内孔 Flushing hole 8.8mm.	2400 2750 3700 4000 4310 4920	7' 10" 9 12' 11/2" 13' 13/8" 14' 11/2" 16' 11/2"	28 28 28 28 28 28	1 1/8 1 1/8 1 1/8 1 1/8 1 1/8 1 1/8	12.2 14.4 18.9 20.4 22.0 25.3	22H28-R28/R32-2400-23 22H28-R28/R32-2750-23 22H28-R28/R32-3700-23 22H28-R28/R32-4000-23 22H28-R28/R32-4310-23 22H28-R28/R32-4920-23
六方钎杆 Drifter rod, R38-Hex32-R28 内孔 Flushing hole 9.6mm.	2900 3090 3700 4310	9' 61/8" 10' 11/2" 12' 11/2" 14' 11/2"	32 32 32 32	1 1/4 1 1/4 1 1/4 1 1/4	18.8 20.0 24.0 27.9	22H32-R28/R38-2900-23 22H32-R28/R38-3090-23 22H32-R28/R38-3700-23 22H32-R28/R38-4310-23
六方钎杆 Drifter rod, R32-Hex32-R28 内孔 Flushing hole 9.6mm.	3090 3700	10' 11/2" 12' 11/2"	32 32	1 1/4 1 1/4	20.0 23.5	22H32-R28/R32-3090-23 22H32-R28/R32-3700-23
六方钎杆 Drifter rod, R32-Hex32-R28 内孔 Flushing hole 9.6mm. 接内螺纹钎尾 With slimmed shank end for female shank adapters.	3090 3700 4000 4310	10' 11/2" 12' 11/2" 13' 13/8" 14' 11/2"	32 32 32 32	1 1/4 1 1/4 1 1/4 1 1/4	20.0 24.0 25.9 27.9	22H32-R28/R32N-3090-23 22H32-R28/R32N-3700-23 22H32-R28/R32N-4000-23 22H32-R28/R32N-4310-23
六方钎杆 Extension rod, R28-Hex28-R28 内孔 Flushing hole 8.8mm.	3050	10	28	1 1/8	15.0	23H28-R28-3050-23
六方钎杆 Speedrod, R28-Hex28-R28 内孔 Flushing hole 8.8mm.	3050	10	28	1 1/8	15.0	24H28-R28/39-3050-23

Coupling 连接套	Length 长度		Diameter 直径		Thread 螺纹	Weight Kg 重量	P/N 型号
	mm 毫米	Inch 英寸	mm 毫米	Inch 英寸			
同径连接套 Coupling sleeves 	150	5 7/8	44	1 3/4	R32	1.0	31-R32-44-150-23
	150	5 7/8	40	1 37/64	R28	0.9	31-R28-40-150-23
	170	6 3/4	55	2 5/32	R38	2.0	31-R38-55-170-23
变径连接套 Coupling sleeves of different diameter	160	6 5/16	45	1 3/4	R28-R32	1.2	33-R28/R32-45-160-23
	160	6 5/16	56	1 13/64	R28-R38	2.5	33-R28/R38-56-160-23

SHANDONG TAISHAN ROCK TOOLS CO., LTD

Mr:Rock Sui

Tel: 0086-635-6515509

Fax:0086-635-6515678

Mobile: +86 135 6302 6509

+86 138 6352 6509

Email:chinarocktool@163.com

rockdrillingtools@163.com

export@china-rocktool.com

export@rockdrillingtools.com

WeChat: +86 13563026509

WhatsApp: +86 135 6302 6509

SKYPE: sui671100

Website: www.rockdrillingtools.com

www.china-rocktool.com

ADD: Xihu Town 10 #, Yanggu ,Liaocheng city , Shandong province , China